# MICROS


### Efficiency of ANP Measured - AppNote

## Aqueous Normal Phase (ANP) Efficiency Measured with Sorbitol, Glucose & Uracil

Figure A is an excerpt from a study that investigated analyses of Glucose and Sorbitol on TYPE-C Silica based HPLC Columns and found that the efficiency of ANP is better than observed with HILIC. A Cogent Diamond Hydride Column (2.1 x 150mm with a Particle Size of  $4\mu$ m) was used and Flow Rate v. HETP was plotted as shown. From the plot it is evident that while the Flow Rate is increased by a factor of 2.5 the Efficiency is only slightly lower (~15%).

A similar Cogent Diamond Hydride (4.6 x 150mm and Particle Size of 4µm) and a typical, commercially available HPLC Column designed for HILIC mode, (with equal specifications) were used to retain and separate Uracil under the same conditions. Figure B shows a plot of "Efficiency vs. Flow Rate" for both Columns. From the graph it can be seen that efficiency increases as the Flow Rate increases from 0.3 to 1.0mL / minute for the ANP Column while in contrast, the HILIC Column's efficiency dropped by more than 30% over this same range of Flow Rates.

It should be noted that linear Flow Rates are more than 6 times greater in the 2.1mm Column than in the 4.6mm.



**Figures**:

A. Sorbitol, Glucose. On a Diamond Hydride ColumnB. Uracil. DH and HILIC Column Comparison



### **Method Conditions**

#### Columns:

Figure A: Cogent Diamond Hydride<sup>™</sup>, 4µm, 100Å Figure B: Cogent Diamond Hydride<sup>™</sup>, 4µm, 100Å **Catalog Nos.:** Figure A: 70000-15P-2 Figure B: 70000-15P **Dimensions:** Figure A: 2.1 × 150mm Figure B: 4.6 × 150mm **Mobile Phase:** A: DI Water / 0.1% Formic Acid B: Acetonitrile / 0.1% Formic Acid B: Acetonitrile / 0.1% Formic Acid Flow rate: Variable, See Charts **Detection:** UV (Uracil) and LCMS (Sorbitol, Glucose) Injection vol.: 10µL

**Notes:** Charts and Methods are adapted from "Analysis of Hydrophilic Metabolites in Physiological Fluids by HPLC-MS using a Silica Hydride-Based Stationary Phase". J.J. Pesek, M.T. Matyska, J.A. Loo, S.M. Fischer, T.R. Sana, J. Sep. Sci., 32 (2009) 2200-2208.



Printed from the Chrom Resource Center **MicroSolv Technology Corporation** 9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435 Email: customers@mtc-usa.com Website: www.mtc-usa.com Date: 05-06-2024