


Retention of an Extremely Polar Compound


A reliable Method for the determination of Glyphosate is presented. This Method provides very reproducible Retention and fast equilibration even when a Gradient analysis is used. The use of LCMS detection avoids time-consuming derivatization of this compound which is lacking a chromophore for UV detection. The Method shown, with ANP Retention avoids derivatization.

Figures

A: Injection #1, RT = 3.365 minute

B: Injection #5, RT = 3.366 minute





Peak:

Glyphosate: 168.0067 m/z (M-H)-

Printed from the Chrom Resource Center Copyright 2024, All Rights Apply

Method Conditions

Column: Cogent Diamond Hydride™, 4µm, 100Å

Catalog No.: 70000-15P-2

MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com



Dimensions: 2.1 x 150mm

Mobile Phase:

A: DI Water / 5mM Ammonium Acetate

B: 90% Acetonitrile / 10% DI Water / 10mM Ammonium Acetate

Gradient:

Time (minutes)	%B
0	80
1	80
1.1	5
5	5
6	80

Post Time: 5 minutes **Flow rate**: 0.5mL / minute

Detection: ESI - neg - Agilent 6210 MSD TOF Mass Spectrometer

Sample Preparation: Sample Stock Solution was purchased from Sigma (1000mcg / mL). Sample for analysis was

made by diluting the stock 1:100 in 30:70 solution A and B

Notes: Glyphosate is a nonselective herbicide and is used for the control of a wide range of weeds. It is strongly retained on soil components and due to its long half life and solubility in water can be detected long after application or far away from the application site.



Attachment

No 89 Glyphosate Analyzed by LCMS pdf 0.2 Mb Download File

Printed from the Chrom Resource Center
Copyright 2024, All Rights Apply

MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com