


# Chlorpheniramine Maleate Organic Impurities Analyzed with HPLC - AppNote

# Separation demonstrated in real commercial formulation extracts


Use of the Cogent Bidentate  $C8^{\text{\tiny M}}$  Column allows for high resolution baseline separation of six specified impurities of Chlorpheniramine Maleate (Fig. A). Fig. B shows how the method can be applied to a real-world formulation, spiked with the N-oxide impurity to demonstrate resolution from the API peak.

Currently, there is no public official standard for Chlorpheniramine impurities analysis, hence this method supports quality testing for safety of products.









Chlorpheniramine Maleate

## **PEAKS:**

- 1. Pheniramine
- 2. Chlorpheniramine related compound A
- 3. Chlorpheniramine related compound B
- 4. Chlorpheniramine related compound  ${\sf C}$ 
  - 5. Chlorpheniramine
  - 6. Chlorpheniramine N-oxide
- 7. Chlorpheniramine related compound D

## **Method Conditions**

**Column:** Cogent Bidentate C8<sup>™</sup>, 4µm, 100Å

**Catalog No.:** 40008-15P **Dimensions:** 4.6 x 150 mm



## **Solvents:**

A: 95% DI Water/ 5% Acetonitrile/ 0.05% TFA (v/v)

B: Acetonitrile/ 0.05% TFA (v/v)

#### **Gradient:**

Time (Minutes)	%B
0	0
20	15
30	30
34	30
35	0
40	0

Injection vol.: 10µL

Flow rate: 1.0 mL/minute **Detection:** UV 225 nm

**Sample:** 

Fig. A: 4.8 μg/mL each of USP Chlorpheniramine Maleate reference standard (RS), Pheniramine,



Chlorpheniramine N-oxide, related compound (RC) A, B, C, and D.

**Fig. B:** 4 mg strength Chlorpheniramine Maleate tablet extract (2.4 mg/mL) spiked at 0.1% level with Chlorpheniramine N-oxide Dihydrochloride RS solution.

**Notes:** Chlorpheniramine Maleate is an active pharmaceutical ingredient that is one of numerous over-the-counter antihistamine medicines used to treat allergic reactions such as hay fever and urticaria (hives). As with other first generation antihistamines, drowsiness can be a common side effect of the medication. This is due to their greater ability to cross the blood-brain barrier compared to second generation antihistamines.



#### **Attachment**

No 368 Chlorpheniramine Maleate Organic Impurities.pdf 0.2 Mb Download File