


Fioricet Analyzed with HPLC - AppNote

Gradient Separation of Acetaminophen, Caffeine, and Butalbital

In this Method, a simple Reversed Phase gradient is used to separate the three components of a Fioricet tablet. *Figure A* shows the five-run overlay obtained from the gradient. *Figure B* shows a "zoomed in view" so that the Butalbital Peak can be seen clearly.



Printed from the Chrom Resource Center Copyright 2024, All Rights Apply


MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com





- 1. Acetaminophen
 - 2. Caffeine
 - 3. Butalbital

Method Condtions

Column: Cogent Bidentate C18™, 4µm, 100Å

Catalog No.: 40018-15P **Dimensions:** 4.6 x 150mm

Mobile Phase:

A: DI Water / 0.1% Formic Acid

B: 97% Acetonitrile / 3% DI Water / 0.1% Formic Acid

Gradient:

Time (minutes)	%B
0	10
6	70
7	10

Temperature: 35°C Injection vol.: 10µL

Flow rate: 0.8mL / minute **Detection:** UV @ 240nm

Sample Preparation:

Stock Solution: Fioricet tablet was ground, added to 10mL volumetric flask and diluted with 50:50 Solvent A / Solvent B mixture. The flask was vortexed 5 minutes and a portion of the solution was filtered with a $0.45\mu m$ Nylon Syringe Filter.

Working Solution: 10µL of the stock was diluted with 990µL of 50:50 Solvent A / Solvent B mixture.

to: 2.2 minutes

Note: Fioricet/Esgic is a combination of Acetaminophen, Caffeine, and Butalbital. It is used to treat tension headaches, muscle contraction headaches, and migraines.



Attachment

Printed from the Chrom Resource Center Copyright 2024, All Rights Apply

MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com



No 137 Fioricet Analyzed with HPLC pdf 0.9 Mb Download File

Printed from the Chrom Resource Center Copyright 2024, All Rights Apply **MicroSolv Technology Corporation** 9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435 Email: customers@mtc-usa.com

Website: www.mtc-usa.com