Unique Method Development Strategy for Polar Compounds – AppNote

Anatoxin-a Analyzed with LCMS

Figures below illustrate an example of the work flow in developing a Method for the Analysis of a Polar Compound using Cogent Diamond Hydride™ Columns and the impact of Aqueous Normal Phase HPLC.

The simplified steps of Method Development are as follows:

A. Injection of the Sample at 50:50 Solvent A / Solvent B Mobile Phase Composition results in *Figure A*. In this case, Anatoxin-a has considerable retention.

B. Injection of the Sample at 40:60 Solvent A / Solvent B Mobile Phase Composition results in *Figure B*. As expected, the Retention of Anatoxin-a is longer and the Peak Shape is broader with higher organic content.

C. Based on the above results, a simple Linear Gradient is designed to achieve the desired Retention of the Compound and excellent Peak Shape *(Figure C)*. If shorter Retention time is desired it can be accomplished by changing the starting concentration of Solvent B to 60%, designing a steeper gradient, or using a shorter Column such as 2.1 x 50mm.



MicroSolv Technology Corporation
9158 Industrial Blvd. NE, Leland, NC 28451
tel. (732) 380-8900, fax (910) 769-9435
Email: customers@mtc-usa.com
Website: www.mtc-usa.com





Peak:

Anatoxin-a, 166.1226 m/z (M+H)+

Method Conditions

Column: Cogent Diamond Hydride™, 4µm, 100Å

Catalog No.: 70000-15P-2

Dimensions: 2.1 x 150mm

Mobile Phase:

A: 50% Methanol / 50% DI Water / 0.1% Formic Acid

B: Acetonitrile / 0.1% Formic Acid

Gradient:

Time *(minutes)*	%B
0	70
5	30
6	30
7	70

Temperature: 25˚C

Post time: 5 minutes

Injection vol.: 1µL

Flow rate: 0.4mL / minute

Detection: ESI – POS – Agilent 6210 MSD TOF Mass Spectrometer

MicroSolv Technology Corporation
9158 Industrial Blvd. NE, Leland, NC 28451
tel. (732) 380-8900, fax (910) 769-9435
Email: customers@mtc-usa.com
Website: www.mtc-usa.com

t0: 0.9 minutes

Note: *Anatoxin-a (ANTX-A) is a cyanobacterial neurotoxin, implicated in many animal and human poisoning incidents. ANTX-A blocks neurotransmission causing death by respiratory arrest. The presence of this toxin in freshwater has to be monitored in order to prevent fatalities.*

Attachment

No 142 Method Development Strategy for Polar Compounds pdf 0.3 Mb Download File

MicroSolv Technology Corporation
9158 Industrial Blvd. NE, Leland, NC 28451
tel. (732) 380-8900, fax (910) 769-9435
Email: customers@mtc-usa.com
Website: www.mtc-usa.com