



Alternate column used for a similar USP assay method of flecainide acetate

This similar USP flecainide acetate is easily performed, and the 10 injections overlay below demonstrates run to run consistency and great peak symmetry. The peak efficiency is very good and peak tailing guidelines are easily met with RSD values of less than 1.0%.

This demonstrates a good alternate column for your flecainide acetate USP method.



Flecainide Acetate

Peak:

Method Conditions:

Column: Cogent RP C18™, 5µm, 100Å

Catalog No.: 68518-15P

Dimensions: 4.6mm x 150mm

Note 1: For the full method conditions and details, consult the official United States Pharmacopoeia-National

Printed from the Chrom Resource Center

Copyright 2024, All Rights Apply

MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451

tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com

Formulary (USP-NF.)

Note 2: Flecainide acetate inhibits the action of sodium and potassium ion channels in the heart, which raises the threshold for depolarization and correcting arrhythmias.



Printed from the Chrom Resource Center

Copyright 2024, All Rights Apply

MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451

tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com