




Ivermectin Analyzed with HPLC - AppNote


A Robust Method for Analysis of an Antiparasitic Medication

A robust and reproducible Method has been developed for this anthelmintic agent. The data below (*an overlay of 10 chromatograms*) illustrates both excellent Peak Shape and Retention using this easy Method.

MICRO**SOLV** TECHNOLOGY CORPORATION

HPLC Columns and Chromatography Accessories





Peak

1. Ivermectin

Method Conditions

Column: Cogent Phenyl Hydride™, 4μm, 100Å

Catalog No.: 69020-15P

Dimensions: 4.6mm x 150mm

Mobile Phase:

A: DI Water with 0.1% Formic Acid

B: Acetonitrile with 0.1% Formic Acid

Time (minutes)	%B
0	30



1	30
5	75
6	75
7	30
10	30

Injection vol.: 5 μ L

Flow rate: 1.0mL / minute

Detection: UV @ 254nm

Diluent: 50:50 DI Water / Acetonitrile

Sample Preparation: Ivermectin prepared as 6 μ g / mL Standard Solution in Diluent.

t₀: 1.6 Minutes

K: 4.53

%RSD of 10 injections: <0.1%

Notes: Ivermectin is a semi-synthetic Antiparasitic Medication derived from Avermectins, a class of highly-active broad-spectrum Antiparasitic Agents isolated from the fermentation products of Streptomyces avermitilis. This drug is used in the treatment of Onchocerciasis, but may also be effective against other worm infestations (such as Strongyloidiasis, Ascariasis, Trichuriasis and Enterobiasis). Applied topically, it may be used in the treatment of head lice infestation.

Notes: Calculation for Capacity Factor - Relative Retention $k = (tR-t_0)/t_0$

MICRO**LV** TECHNOLOGY CORPORATION
HPLC Columns and Chromatography Accessories



COGENT
HPLC Columns™