

Literature references for Cogent TYPE-C HPLC columns - Tech Information

The following is a list of Articles published in peer-reviewed Journals and books that discuss Cogent TYPE-C™ Silica based HPLC Columns and their Applications:

Authors	Title	Publication	Date	Volume	Pages
Appia-Kusi, Volda and Lurie, Ira S.,	Utility of 'Flip-Flop' Chromatography Employing Silica Hydride Stationary Phases with Simultaneous Photodiode Array Ultraviolet and Single Quadrupole Mass Detection for the Analysis of Seized Drugs	Journal of Chromatography	September 2023	1707	
Jason G. Dumelie, Qiuying Chen, Dawson Miller, Nabeel Attarwala, Steven S. Gross & Samie R. Jaffrey	Biomolecular condensates create phospholipid-enriched microenvironments	Nature chemical biology	2023		
Joseph J. Pesek, Maria T. Matyska, Tanya Hiltz, Gary Takeoka	Validation of an Aqueous Normal Phase Chromatography Method for the Analysis of Ergothioneine in Commercial Mushrooms	LCGC North America	2023	41	341–344, 349
Joseph J. Pesek, Maria T. Matyska, Tanya Hiltz, Jennifer McCall	Application of a Cholesterol-Based Stationary Phase for the Analysis of Brevetoxins	Journal of Separation Science	2022	46	2200666
Bugajev Viktor, Halova Ivana, Demkova Livia, Cernohouzova Sara, Vavrova Petra, Mrkacek Michal, Utekal	ORMDL2 Deficiency Potentiates the ORMDL3-Dependent Changes in Mast Cell Signaling	Frontiers in Immunology	2021	11	591975

Pesek JJ, Matyska MT, Tardiff E, Hiltz T.	Chromatographic characterization of a silica hydride-based amide stationary phase. Silica Hydride: A	Journal of Separation Science	2021	14	2728-2734
Pesek JJ, Matyska MT.	Separation Material Every Analyst Should Know About. The separation and identification of synthetic cathinones by portable	Molecules	2021	26	7505
Marisa C. May, David C. Pavone, Dr. Ira S. Lurie	low micro-flow liquid chromatography with dual capillary columns in series and dual wavelength ultraviolet detection The utility of silica hydride-based stationary phases for dual-mode	Journal of Separation Science	2020	43	1-9
Carly Ploumen, Ioan Marginean, Ira S. Lurie	ultra high performance liquid chromatography separation of synthetic cathinone positional isomers Mobile phase effects on the retention on polar columns with special	Journal of Separation Science	2020	43	1-9
P. Jandera, T. Hájek	attention to the dual hydrophilic interaction-reversed-phase liquid chromatography mechanism, a review Investigation of the temperature dependence	Journal of Separation Science	2018	41	145-162
E. Bartó, A. Felinger, P. Jandera	of water adsorption on silica-based stationary phases in hydrophilic interaction liquid chromatography Silica Hydride-Based	Journal of Chromatography A	2017	1489	143-148
J.J. Pesek, M.T. Matyska	Packing Materials: HPLC Stationary Phases for a Global Approach to Complex Sample Analysis	Current Chromatography	2017	4	1-10
D.K. Appulage, K.A. Schug	Silica hydride based phases for small moleculeA	Journal of Chromatography	2017	1507	115-123

	separations using automated liquid chromatography-mass spectrometry method development					
J.E. Young, Z. Pan, H. Ean, V. Menon, B. Modereger, J.J. Pesek, M.T. Matyska, G. Takeoka	Phenolic Composition of Pomegranate Peel Extracts using an LC-MS Approach with Silica Hydride Columns	J. Sep. Sci.	2017	40	1449-1456	
J.E. Young, J.J. Pesek, M.T. Matyska, B. Sanchez, B. White	Quantitative Analysis of Uric Acid Metabolites in Urine by High Performance Liquid Chromatography - Mass Spectrometry using Silica Hydride Columns	Current Chromatography	2017	4	51-57	
R. Naffa, G. Holmes, M. Ahn, D. Harding, G. Norris	Liquid chromatography-electrospray ionization mass spectrometry for the simultaneous quantitation of collagen and elastin crosslinks	Journal of Chromatography A	2016	1478	60-67	
J.E. Young, T. Nguyen, C. Ly, S. Jarman, D. Diep, C. Pham, J.J. Pesek, M.T. Matyska, G.R. Takeoka	LC-MS Characterization of Mesquite Flour Constituents	LC-GC North America Special Issues	2016	10	28-31	
J.C. Evans, C. Trujillo, Z. Wang, H. Eoh, S. Ehrt, D. Schnappinger, H.I.M. Boshoff, K.Y. Rhee, C.E. Barry III, V. Mizrahi	Validation of CoaBC as a bactericidal target in the coenzyme A pathway of Mycobacterium tuberculosis	ACS Infectious Diseases	2016	2	958-968	
H. Grajek, Z. Witkiewicz, M. Purchała, W. Drzewiński	Liquid Crystals as Stationary Phases in Chromatography	Chromatographia	2016		1-29	
Y. Kannan ¹ , J. Perez-Lloret, Y. Li ¹ , L.J. Entwistle,	TPL-2 Regulates Macrophage Lipid Metabolism and M2	PLOS Pathogens	2016	12(8)	1-26	

H. Khoury, S. Papoutsopoulou, R. Mahmood, N.R. Mansour, S.C. Huang, E.J. Pearce, L.P.S. de Carvalho, S.C. Ley, M.S. Wilson	Differentiation to Control TH2-Mediated Immunopathology				
E. Cífková, R. Hájek, M. Lída, M. Holčápek	HILIC/ESI-MS Separation of acidic and other lipid classes using hydride column	HPLC 2016 poster	2016	N/A	N/A
C. Kulsing, Y. Yang, R. Sepehrifar, M. Lim, J. Toppete, M.T. Matyska, J.J. Pesek, R.I. Boysen, M.T.W. Hearn	Investigations into the separation behaviour of perfluorinated C8 and Undecanoic acid modified silica hydride stationary phases	Analytica Chimica Acta	2016	916	102-111
J.E. Young	Advances in chromatographic analysis of foods and beverages: modern stationary phases for challenging compounds	Agro Food Industry Hi Tech 2016		27	14-17
J.J. Pesek, M.T. Matyska, M. Sieng, L. Doan	Analysis of Capsaicinoids in Hot Sauces Using a Silica Hydride-Based Stationary Phase	Current Chromatography	2016	3	12-16
J.E. Young, J.J. Pesek, M.T. Matyska	Robust HPLC-Refractive Index Analysis of Simple Sugars in Beverages using Silica Hydride Columns	Current Nutrition & Food Science	2016	12	125-131
J.J. Pesek, M.T. Matyska, B. Modereger, A. Hasbun, V.T. Phan, Z. Mehr, M. Guzman, S. Watanable	The separation and analysis of symmetric and asymmetric dimethylarginine and other hydrophilic isobaric compounds using Aqueous Normal Phase Chromatography	J. Chromatogr. A.	2016	1441	52-59
J.E. Young, M.V. Lim, J. Topete, H. and	Improved Sensitivity and Specificity for trans-	LC GC N. Am.	2016	34	206-213

Hang, M. Gahol, J.J. Pesek, M.T. Matyska	Resveratrol in Red Wine Analysis with HPLC-UV and LC-MS				
E. Cífková, R. Hájek, M. Lísa, M. Holčápek	Hydrophilic interaction liquid chromatography-mass spectrometry of (lyso)phosphatidic acids, (yso)phosphatidylserines and other lipid classes	J. Chromatogr. A.	2016	1439	65-73
J. Pesek, M. Matyska, A. Jimena, J. Juan, A. Jo, B. Berioso	Analysis of glucosamine using aqueous normal phase chromatography	Food Sci. Technol.	2016	65	777-782
J.J. Kamphorst, M. Nofal, C. Commisso, S.R. Hackett, W. Lu, E. Grabocka, M.G. Vander Heiden, G. Miller, J.A. Drebin, D. Bar-Sagi, C.B. Thompson, J.D. Rabinowitz	Human Pancreatic Cancer Tumors Are Nutrient Poor and Tumor Cells Actively Scavenge Extracellular Protein	Cancer Research	2015	75	544-553
Y. Dai, S.M. Fischer	Metabolomics Batch Data Analysis Workflow to Characterize Differential Metabolites in Bacteria	Agilent Application Note	2015	N/A	1-8
E.M. Borges	Silica, Hybrid Silica, Hydride Silica and Non-Silica Stationary Phases for Liquid Chromatography	J. Chromatogr. Sci.	2015	53	580-597
A. Dang, M. Sieng, J.J. Pesek, M.T. Matyska	Determination of Bisphenol A in Receipts and Carbon Paper by HPLC-UV	J. Liq. Chromatogr. & Rel Technol.	2015	38	438-442
J.J. Pesek, M.T. Matyska, M. Sieng, L. Doan	Analysis of Capsaicinoids in Hot Sauces using a Silica Hydride-based Stationary Phase	Curr. Chromatogr.	2015	3	
Y. Nolvachai, C. Kulsing, R.I.	Comparison of the performance of different	Food Chem.	2015	174	434-439

Boysen, M.T. Matyska, J.J. Pesek, P.J. Marriott, M.T.W. Hearn	silica hydride particles for the solid-phase extraction of non-volatile analytes from dark chocolate with analysis by gas chromatography– quadrupole mass spectrometry Analysis of ethyl glucuronide and ethyl sulfate using aqueous normal-phase chromatography with mass spectrometry					
J. Pesek, M. Matyska, A. Dang		J. Sep. Sci.	2015	38	1515- 1520	
J. Pesek, M. Matyska, N. Salehi	Evaluation of Stationary Phases Made by Hydrosilation of Alkynes on Silica Hydride Ammonium fluoride as a mobile phase additive in aqueous normal phase chromatography	Curr. Chromatogr.	2015	2	41-47	
J. Pesek, M. Matyska	LC-MS-Compatible Approaches for the Quantitation of Limonin in Citrus Juice	J. Chromatogr. A.	2015	1401	69-74	
J.E. Young, M.T. Matyska, J.J. Pesek	Enantiomers separation by nano-liquid chromatography: Use of a novel sub-2 µm vancomycin silica hydride stationary phase	LCGC N. Am.	2015	33	192-199	
S. Rocchi, A. Rocco, J.J. Pesek, M.T. Matyska, D. Capitani, S. Fanali		J. Chromatogr. A.	2015	1381	149-159	
C. Kulsing, Y. Nolvachai, P.J. Marriott, R.I. Boysen, M.T. Matyska, J.J. Pesek, M.T.W. Hearn	Insights into the Origin of the Separation Selectivity with Silica Hydride Adsorbents	J. Phys. Chem. B.	2015	119	3063- 3069	
C. Kulsing, Y. Yang, R.I. Boysen, M.T. Matyska, J.J. Pesek, M.T.W. Hearn	Role of electrostatic contributions in the separation of peptides with silica hydride stationary phases	Analytical Methods	2015	7	1578- 1585	

C. Kulsing, Y. Yang, R.I. Boysen, M.T. Matyska, J.J. Pesek, M.T.W. Hearn	Prediction of the zeta potentials and ionic descriptors of a silica hydride stationary phase with mobile phases of different pH and ionic strength	Anal. Chim. Acta	2015	859	79-86
C. Kulsing, Y. Yang, C. Munera, C. Tse, M.T. Matyska, J.J. Pesek, R.I. Boysen, M.T.W. Hearn	Correlations between the zeta potentials of silica hydride-based stationary phases, <u>analyte</u> retention behaviour and their ionic interaction descriptors	Anal. Chim. Acta	2014	817	48-60
J.J. Pesek, R.I. Boysen, M.T.W. Hearn, M.T. Matyska	Hydride-based HPLC stationary phases: A rapidly evolving technology for the development of new bio-analytical methods	Analytical Methods	2014	6	4496-4503
S. Bocian, G. Rychlicki, M.T. Matyska, J.J. Pesek, B. Buszewski	Study of hydration process on silica hydride surfaces by micro-calorimetry and water adsorption	J. Colloid Interface Sci.	2014	416	161-166
E.Y. Santali, D. Edwards, O.B. Sutcliffe, S. Bailes, M.R. Euerby, D.G. Watson	A Comparison of Silica C and Silica Gel in HILIC Mode: The Effect of Stationary Phase Surface Area	Chromatographia	2014	77	873-881
J.J. Pesek, M.T. Matyska, J.E. Young	Analysis of thiopurines using <u>aqueous normal phase</u> chromatography	J. Pharm. Biomed. Anal.	2014	95	102-106
J.E. Young, M.T. Matyska, J.J. Pesek	Why development of new HPLC column technology is still alive	Chimica Oggi.	2014	32	8-12
N. Byrd	Quick, Easy and Reliable Detection of Histamine in Food Using the Agilent 6490 Triple Quadrupole LC/MS with Jet Stream Technology	Agilent Application Note	2013	N/A	1-4
S. Jenkins, S.M. Fischer, T.R.	Compound Identification, Profiling and Pathway	Agilent Application Note	2013	N/A	1-10

Sana	Analysis of the Yeast Metabolome in Mass Profiler Professional					
A. Marcobal, P.C						
Kashyap, T.A.	A metabolomic view of					
Nelson, P.A.	how the human gut					
Aronov, M.S.	microbiota impacts the	ISME J.	2013	7	1933-	
Donia, A.	host metabolome using				1943	
Spormann, M.A.	humanized and					
Fischbach, J.L.	gnotobiotic mice					
Sonnenburg						
	High Performance Liquid					
	Chromatographic					
Tong Zhang and	Approaches to Mass	Current Metabolomics	2013	1	58-83	
David G. Watson	Spectrometry Based					
	Metabolomics					
Y. Yang, R.I.						
Boysen, C.	Analysis of polar peptides					
Kulsing, M.T.	using a silica hydride	J. Sep. Sci.	2013	36	3019-	
Matyska, J.J.	column and high aqueous				3025	
Pesek, M.T. W.	content mobile phases					
Hearn						
J.J. Pesek, MT.	Evaluation of stationary					
Matyska, A.M.	phases based on silica	J. Sep. Sci.	2013	36	2760-	
Kim	hydride for the analysis of				2766	
	drugs of abuse					
	Separation of 1,3-					
	dimethylamylamine and					
	other polar compounds in					
R. Le, J.E. Young,	a dietary supplement	J. Sep. Sci.	2013	36	2578-	
J.J. Pesek, M.T.	formulation				2583	
Matyska	using <u>aqueous normal</u>					
	<u>phase</u> chromatography					
	with MS					
Y. Yang, M.T.	Simultaneous separation					
Matyska, R.I.	of hydrophobic and polar	J. Sep. Sci.	2013	36	1209-	
Boysen, J.J.	bases using a silica				1216	
Pesek, M.T. W.	hydride stationary phase					
Hearn						
H. Yeman, T.	Simulation of the	J. Sep. Sci.	2013	36	173-181	
Nicholson, M.T.	chromatographic					
Matyska, J.J.	separation process in					
Pesek, K. Albert	HPLC employing					
	suspended-state NMR					
	spectroscopy -					
	Comparison of interaction					
	behavior for monomeric					

	and hydride-modified C18 stationary phases				
	The use of <u>aqueous normal</u>				
A. Dang, J.J. Pesek, M.T. Matyska	<u>phase</u> chromatography as an analytical tool for food analysis: Determination of histamine as a model system	Food Chem.	2013	141	4226-4230
J.E. Young, H.N. Nguyen, M.T. Matyska, J.J. Pesek,	LC-MS-Compatible separation of polar compounds using silica hydride columns	LCGC N. Am.	2013	31	144-157
J. E. Young, M.T. Matyska, A.K. Azad, S.E. Yoc, J.J. Pesek	Separation Differences Among Phenyl Hydride, Undecanoyl Cholesterol, and Bidentate C8 Stationary Phases for Stability Indicating Methods of Tetracyclines	J. Liq. Chromatogr. & Rel Technol.	2013	36	926-942
J.J. Pesek, M.T. Matyska, R.I. Boysen, Y. Yang, M.T.W. Hearn	Aqueous normal-phase chromatography using silica-hydride-based stationary phases	Trends Anal. Chem.	2013	42	64-73
	Mass Profiler Professional and Personal Compound				
S. Jenkins, S.M. Fischer, T.R. Sana	Database and Library Software Facilitate Compound Identification for Profiling of the Yeast Metabolome	Agilent Application Note	2012	N/A	1-12
	A New Approach to Bioanalysis: <u>Aqueous Normal</u>				
J.J. Pesek, M.T. Matyska	<u>Phase</u> Chromatography with Silica Hydride Stationary Phases	Bioanalysis	2012	4	845-853
	Analysis of cycloserine and related compounds using <u>Aqueous Normal Phase</u>				
J.J. Pesek, M.T. Matyska, A. Dang	<u>Chromatography</u> /Mass Spectrometry	J. Pharm. Biomed. Anal.	2012	64	72-76
R. MacNeill, R. Stromeyer, B. Urbanowicz, V. Acharya, M.	Silica hydride-based chromatography of LC-MS response-altering	Bioanalysis	2012	4	2877-2886

Moussallie, J.J. Pesek	compounds native to human plasma Time-dependent column				
H. Yeman, T. Nicholson, V. Friebolin, L. Steinhauser, M.T. Matyska, J.J. Pesek, K. Albert	performance of cholesterol-based stationary phases for HPLC by LC characterization and solid-state NMR spectroscopy The influence of the	J. Sep. Sci.	2012	35	1582- 1588
S. Bocian, J. Soukup, M. Matyska, J. Pesek, P. Jandera, B. Buszewski	organic modifier in hydro- organic mobile phase on separation selectivity of steroid hormones separation using cholesterol-bonded stationary phases	J. Chromatogr. A.	2012	1245	90-97
B. Buszewski, S. Bocian, G. Rychlicki, M. Matyska, J. Pesek	Determination of accessible silanols groups on silica gel surfaces using micro calorimetric measurements	J. Chromatogr. A.	2012	1232	43-46
A.D. Panopoulos, O. Yanes, S. Ruiz, Y. Kida, D. Diep, R. Tautenhahn, A. Herrerías, E.M. Batchelder, N. Plongthongkum, M. Lutz, W.T. Berggren, K. Zhang, R.M. Evans, G. Siuzdak, J.C.I. Belmonte D. Ryan, K. Robards, P.D. Prenzler, M. Kendall J.E. Young, M.T. Matyska, J.J. Pesek	The metabolome of induced pluripotent stem cells reveals metabolic changes occurring in somatic cell reprogramming	Cell Res.	2012	22	168-177
	Recent and potential developments in the analysis of urine: A review	Analytica Chimica Acta	2011	684	17-29
	Liquid Chromatography/Mass Spectrometry Compatible Approaches for the Quantitation of Folic Acid in Fortified Juices and	J. Chromatogr. A	2011	1218	2121- 2126

J.J. Pesek, M.T. Matyska, P. Lee	Cereals using <u>Aqueous Normal Phase</u> Conditions Synthesis of a Preparative C30 Stationary Phase on a Silica Hydride Surface and its Application to Carotenoid Separation	J. Liq. Chromatogr. & Rel Technol.	2011	34	231-240
J.J. Pesek and M.T. Matyska	<u>Aqueous Normal Phase</u> Chromatography. The Bridge between Reversed-Phase and HILIC	Hydrophilic Interaction Chromatography (HILIC) and Advanced Applications, P.G. Wang, W. He, eds.	2011	N/A	26-Jan
S. Bocian, M. Matyska, J. Pesek, B. Buszewski	Study of solvation processes on cholesterol bonded phases	J. Chromatogr. A	2011	1218	441-448
R.I. Boysen, Y. Yang, J. Chowdhury, M.T. Matyska, J.J. Pesek, M.T.W. Hearn	Simultaneous separation of hydrophobic and hydrophilic peptides with a silica hydride stationary phase using <u>aqueous normal phase</u> conditions	J. Chromatogr. A	2011	1218	8021-8026
J.J. Pesek, M.T. Matyska, S.M. Fischer	Improvement of Peak Shape in <u>Aqueous Normal Phase</u> Analysis of Anionic Metabolites	J. Sep. Sci.	2011	34	3509-3516
J.J. Pesek, M.T. Matyska, M. Nshanian	Open-tubular capillary electro-chromatography of small polar molecules using etched, chemically modified capillaries	Electrophoresis	2011	32	1728-1734
J.E. Young, M.T. Matyska, J.J. Pesek	Liquid chromatography/mass spectrometry compatible approaches for the quantitation of folic acid in fortified juices and cereals using <u>aqueous normal phase</u> conditions	J. Chromatogr. A.	2011	1218	2121-2126
J.J. Pesek, M.T. Matyska, J. Duley, M. Zamzami, S.M. Fischer	<u>Aqueous Normal Phase</u> (ANP) Retention of Nucleotides on Silica Hydride-Based Columns. Method Development Strategies for Analytes Relevant in Clinical Analysis	J. Sep. Sci.	2010	33	930-938

J.J, Pesek, M.T. Matyska, K. Prajapati	Synthesis and Evaluation of Silica Hydride-Based Fluorinated Stationary Phases	J. Sep. Sci.	2010	33	2908- 2916
S. Bocian, M. Matyska, J. Pesek, B. Buszewski	Study of the Retention and Selectivity of Cholesterol Bonded Phases with Different Linkage Spacers	J. Sep. Sci.	2010	1217	6891- 6897
J.J. Pesek, M.T. Matyska	Recent Developments in Type C Stationary Phases: Exploiting the Versatility of Silica Hydride Materials	Chromatography Today	2010	3	24-26
J.J. Pesek, M.T. Matyska	Silica Hydride: Chemistry and Applications	Advances in Chromatography, Grushka, E., Grinberg, N., eds	2010	N/A	255-288
J.J. Pesek, M.T. Matyska, J. Duley, M. Zamzami, S.M. Fischer	<u>Aqueous normal</u> phase (ANP) retention of nucleotides on silica hydride-based columns. Method development strategies for analytes relevant in clinical analysis	J. Sep. Sci.	2010	33	930-938
D.L. Callahan, D. De Souza, A. Bacic, U. Roessner	Profiling of polar metabolites in biological extracts using diamond hydride-based <u>aqueous</u> <u>normal</u> <u>phase</u> chromatography.	J. Sep. Sci.	2009	32	2273- 2280
J.J. Pesek, M.T. Matyska, M.T.W. Hearn, R.I. Boysen	<u>Aqueous Normal Phase</u> retention of nucleotides on Silica Hydride columns	J. Chromatogr. A	2009	1216	1140- 1146
V. Freibolin, M.P. Bayer, M.T. Matyska, J.J. Pesek, K. Albert	1H HR/MAS NMR in the suspended state: Molecular recognition processes in liquid chromatography between steroids and a silica hydride-based cholesterol phase	J. Sep. Sci.	2009	32	1722- 1728
J.J. Pesek, M.T. Matyska, J.A. Loo, S.M. Fischer, T.R. Sana	Analysis of Hydrophilic Metabolites in Physiological Fluids by HPLC-MS using a Silica	J. Sep. Sci.	2009	32	2200- 2208

	Hydride-Based Stationary Phase				
J.J..Pesek, M.T. Matyska	Our Favorite Materials: Silica Hydride Stationary Phases	J. Sep. Sci.	2009	32	3999-4011
M.T. Matyska, J.J. Pesek, G. Shetty	Type C Amino Columns for Affinity and <u>Aqueous Normal Phase</u> Chromatography: Synthesis and HPLC Evaluation	J. Liq. Chromatogr. & Rel Technol.	2009	33	1-26
J.J. Pesek, M.T. Matyska, A. Sharma	Use of Hydride-Based Separation Materials for Organic Normal Phase Chromatography	J. Liq. Chromatogr. & Rel Technol.	2008	31	134-147
J.J. Pesek, M.T. Matyska, D. Sukul	Capillary Liquid Chromatography and Capillary Electrochromatography using Silica Hydride Stationary Phases	J. Chromatogr. A	2008	1191	136-140
J.J. Pesek, M.T. Matyska, S.M. Fischer, T.R. Sana	Analysis of hydrophilic metabolites by high-performance liquid chromatography - mass spectrometry using a silica hydride-based stationary phase	J. Chromatogr. A	2008	1204	48-55
J.J. Pesek, M.T. Matyska, S. Larrabee	HPLC Retention Behavior on Hydride-Based Stationary Phases	J. Sep. Sci.	2007	30	637-647
J.J. Pesek, M.T. Matyska, M.T.W. Hearn, R.I. Boysen	Temperature effects on solute retention for hydride-based stationary phases	J. Sep. Sci.	2007	30	1150-1157
J.J. Pesek, M.T. Matyska	A Comparison of Two Separation Modes: HILIC and <u>Aqueous Normal Phase</u> Chromatography	LCGC	2007	25	480-490
J.J. Pesek, M.T. Matyska	How to Retain Polar and Nonpolar Compounds on the same HPLC Column with an Isocratic Mobile Phase	LCGC	2006	24	296-303
J.J. Pesek, M.T. Matyska	Silica Hydride Surfaces: Versatile Separation	J. Liq. Chromatogr. & Rel Technol.	2006	29	1105-1124

J.J. Pesek, M.T. Matyska	Media for Chromatographic and Electrophoretic Analyses One Stationary Phase, Three Modes of Separation: Reversed Phase and Normal Phase Separations on the Same Column	International Labmate	2006	31	2-3
J.J. Pesek, M.T. Matyska	Hydride-based Silica Stationary Phases for HPLC: Fundamental Properties and Applications	J. Sep. Sci.	2005	28	1845-1854
J. Pesek, M. Matyska, L. Dalal	Evaluation of Hydride-Based Stationary Phases for LC/MS	Chromatographia	2005	62	595-601
J.J. Pesek, M.T. Matyska	Hydride-Based Separation Materials for High Performance Liquid Chromatography and Open Tubular Capillary Electrochromatography	Chinese J. Chromatogr.	2005	23	595-608
J. Pesek, M.T. Matyska, G.B. Dawson, A. Wilsdorf, P. Marc, M. Padki	The Cholesterol Bonded Phase as a Separation Medium in High Performance Liquid Chromatography. Evaluation of Properties and Applications	J. Chromatogr A	2003	986	253-262
M.T. Matyska, J.J. Pesek, S. Tong, J.E. Sandoval	Adamantyl-Modified Silica via Olefin Hydrosilation on a Hydride Intermediate	J. Liq. Chromatogr. & Rel Technol.	2003	26	1169-1195
L. Brown, B. Ciccone, J.J. Pesek, M.T. Matyska	An Evolution in Separation Media for HPLC	American Lab.	2003	24	23-29
M.T. Matyska, J.J. Pesek, V. Grandhi	Charge Transfer-Like Stationary Phase for HPLC Prepared via Hydrosilation on Silica Hydride	J. Sep. Sci.	2002	25	741-748
J.J. Pesek, M.T. Matyska, S. James	Variable-Temperature Solid-State NMR Studies of Bonded Liquid Crystal	J. Liq. Chromatogr. & Rel Technol.	2002	25	2749-2765

	Stationary Phases for HPLC				
	Developments in Surface Chemistry for the Improvement of Chromatographic Methods	A Century of Separation Science, H. Issaq, ed.	2001	N/A	349-364
J.J. Pesek, M.T. Matyska					
K. Jinno, H. Sawada, A.P. Catabay, H. Watanabe, N.B.H. Sabli, J.J. Pesek, M.T. Matyska	Comparison of the Separation Behavior of Benzodiazepines in Packed Capillary Electrochromatography and Open-Tubular Capillary Electrochromatography	J. Chromatogr. A	2000	887	479-487
	Pharmaceutical Applications using Cholesterol-10-undecenoate Bonded Phase in Micro column Liquid Chromatography	J. Liq. Chromatogr. Relat. Technol.	1999	22	953-967
A.P. Catabay, J.J. Pesek, M.T. Matyska, K. Jinno					
J.J. Pesek, M.T. Matyska	Surface Modifications to Support Materials for HPLC, HPCE and Electrochromatography	Fundamental and Applied Aspects of Chemically Modified Surfaces, J. Blitz and C.B. Little, eds.	1999	N/A	97-110
A. Catabay, C. Okumura, K. Jinno, J.J. Pesek, E. Williamsen, J.C. Fetzer, W.R. Biggs	Retention Behavior of Large Polycyclic Aromatic Hydrocarbons on Cholesteryl 10-Undecenoate Bonded Phase in Microcolumn Liquid Chromatography	Chromatographia	1998	47	13-20
	Separation of 1,4-Benzodiazepines and Analogs Using Cholesteryl 10-Undecenoate Bonded Phase in Micro-column Liquid Chromatography	J. Chromatogr. Sci.	1998	36	111-118
A. Catabay, M. Taniguichi, K. Jinno, J.J. Pesek, E. Williamsen					
A. Catabay, Y. Saito, C. Okumura, K. Jinno, J.J. Pesek, E. Williamsen	Retention Behavior of Small Polycyclic Aromatic Hydrocarbons with Cholesteryl-10-Undecenoate Bonded Phase in Micro-column Liquid Chromatography	J. Microcol Sep.	1997	9	81-85
J.J. Pesek, M.T. Matyska, J.E.	Synthesis, Characterization and	J. Liq. Chromatogr.	1996	19	2843-2865

Sandoval, E. Williamsen	Applications of Hydride- Based Surface Materials for HPLC, HPCE and Electrochromatography HPLC Evaluation of Mono- ol, Butylphenyl, and Perfluorinated Columns Prepared Via Olefin Hydrosilation on a Silica Hydride Intermediate High Performance Liquid Chromatographic Characterization of Diol Bonded Phases Synthesized via a Hydride Intermediate Evaluation of Mono-ol and Diol Columns	Chromatographia	1996	43	10-16
J.J. Pesek, M.T. Matyska, H. Hemphala		J. Liq. Chromatogr.	1995	18	2507- 2525
J.J. Pesek, M.T. Matyska, H. Hemphala, P. Christensen			1995	40	517-530
M.T. Matyska, J.J. Pesek, A.M. Siouffi		Chem. Anal.	1995	41	301-310
J.J. Pesek, M.T. Matyska, E.J. Williamsen, R. Tam		Chromatographia	1995	688	31-45
M.C. Montes, C. van Amen, J.J. Pesek, J.E. Sandoval		J. Chromatogr.	1994		

[Click HERE for more information about - TYPE-C Silica™](#)

Printed from the Chrom Resource Center
Copyright 2025, All Rights Apply
MicroSolv Technology Corporation
9158 Industrial Blvd. NE, Leland, NC 28451

Tel: (732) 380-8900
Fax: (910) 769-9435
Email: customers@mtc-usa.com
Website: www.mtc-usa.com