


# Vancomycin HPLC method transferred - AppNote

# Benefits of using 2.2 µm column for Vancomycin analysis

The highly polar antibiotic Vancomycin can be readily analyzed with either the standard 4µm Cogent Diamond Hydride or the Cogent Diamond Hydride 2.o column. Notably higher efficiency is obtained on the smaller particle size column.

This Method is easy to perform and is LCMS compatible. Three runs were performed on each column in order to demonstrate consistency and show the benefits of using the smaller particle column.



**Peak:** Vancomycin

# **Method Conditions**

#### **Columns:**

Fig. A: Cogent Diamond Hydride 2.o™, 2.2μm, 120Å

Fig. B: Cogent Diamond Hydride™, 4µm, 100Å

# Catalog Nos.:

Fig. A: <u>70200-05P-2</u>; Fig. B: <u>70000-05P-3</u>

# **Dimensions:**

Fig. A: 2.1 x 50 mm Fig. B: 3.0 x 50 mm

# **Mobile Phase:**

A: DI Water / 0.1% Formic Acid (v/v)
B: Acetonitrile / 0.1% Formic Acid (v/v)

Time (minutes)	%B
0	70
0.4	70
7.4	10
8.4	70

**Post time:** 5 minutes **Injection vol.**: 0.2 μL

Flow rate:

Fig. A: 0.29 mL / minutes Fig. B: 0.50 mL / minutes **Detection:** UV @ 210 nm

Sample:

**Stock Solution:** 1 mg / mL Vancomycin HCl in 50 / 50 solvent A / solvent B diluent. The solution

was filtered through a 0.45µm Nylon Syringe Filter (MicroSolv Tech Corp.).

Working Solution: Stock solution was diluted 1:100 with 50/50 solvent A/ solvent B mixture.

to: 0.4 minutes

**Note:** Vancomycin is a glycosylated non-ribosomal Peptide antibiotic used to treat Colitis. Vancomycin is often used as a drug of last resort when other antibiotics are rendered ineffective due to developed resistance of bacteria. It is a natural product isolated from Amycolatopsis Orientalis.



# **Attachment**

Vancomycin Method Transfer pdf Download File

Printed from the Chrom Resource Center Copyright 2025, All Rights Apply **MicroSolv Technology Corporation** 9158 Industrial Blvd. NE, Leland, NC 28451 Tel: (732) 380-8900 Fax: (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com